

# Safety Data Sheet

## fusion black

Page: 1 of 3

01

Chemical Product and Company Identification Product Name Black
Product Use Floor Finish
Product Code 3271

For Medical Emergency Call 'Chemtrec' 1-800-424-9300

**Supplier's Information** Santec Inc.

1420 East Linden Avenue, Linden NJ 07036

02

Hazards Identification GHS Classification: 1. Skin - Category 1B

**GHS Label Element:** 

2. Eyes - Category 2B **Signal Word:** Warning

Hazard Statement: May cause skin irritation.

**Precautionary Statements:** Wear protective gloves, splash goggles, face shield and boots. Wash thoroughly after handling.



Eyes: Eye irritant. May cause redness or swelling.

Skin: Slight skin irritant.

**Inhalation:** No known acute effects resulting from inhalation.

Ingestion: May be irritating to the mouth, throat and gastrointestinal system. Symptoms may include nausea,

vomiting, diarrhea and cramps.

**Chronic Effects** 

Carcinogenicity: No known critical effects or critical hazards.

Product /Ingredient Name: Not available.

03

Composition/ Information on Ingredients

Name of Hazardous Ingredients	CAS No.	WT.%
Acryliccopolymer	Proprietary	20-40
Tributoxyethyl Phosphate	78-51-3	1-3
Tripropylene Glycol Monomethyl Ether	25498-49-1	1-3
Diethylene Glycol Monoethyl Ether	111-90-0	1-3
Dipropylene Glycol Monomethyl Ether	34590-94-8	1-3

04

First Aid Measures **Eye Contact:** Check for and remove any contact lenses. Flush with large quantities of water, holding eyelids open for 15 minutes. Seek medical attention if symptoms persist.

Skin Contact: Wash skin with copious amounts of water. If symptoms persist seek medical attention.

**Inhalation:** Remove to fresh air. Seek medical attention if irritation persists.

Ingestion: Do not induce vomiting. Drink copious amounts of water. Seek medical attention immediately.

05

Fire Fighting Measures

Suitable Fire Extinguishing Media: Use water spray, fog or foam

**Specific Hazards Arising from the Chemical:** In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous Thermal Decomposition Products: No Specific Data

**Specific Fire-Fighting Methods:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. **Specific Protective Equipment for Fire-Fighters:** Fire-Fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**F** 

06

Accidental Release Measures **Spill Clean Up:** Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Move Containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

santec, inc. 1420 East Linden Ave, Linden NJ 07036 T 908-912-2500 F 908-374-7149 info@cleanneeds.com



## Safety Data Sheet

## fusion black

Handling and Storage

Handling: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Wash thoroughly after handling.

Page: 2 of 3

Storage: Store between the following temperatures: 4.44 to 48.9°C (40 to 120°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

**Exposure** Controls/ Personal Protection

#### **Ingredient Name**

Dipropylene Glycol Monomethyl Ether

#### **Exposure Limits**

OSHA PEL 100 ppm

#### Personal Protective Equipment (PPE)

Eyes: Safety glasses.

Body: For prolonged or repeated handling, use gloves. Nitrile gloves. Rubber gloves. Neoprene gloves.

Respiratory: Use with adequate ventilation. A respirator is not needed under normal and intended conditions of

product use.

Physical and Chemical **Properties** 

**Physical State** Milky White Liquid Color Milky White Odor typical acrylic рΗ 8.0-9.0 Flash point > 200°F **Explosion limits** Not available Not available Flammability (solid, gas) Not available **Melting point** Not available **Boiling point** Evaporation rate (butyl acetate = 1) Not available Vapor pressure Not available Vapor density Not available

1.02 (Water = 1)Solubility Easily soluble in the following materials: cold water and hot water

Partition coefficient n-octano/water Not available Not available **Auto-ignition temperature Decomposition temperature** Not available **Odor threshold** Not available

**Viscosity** Kinematic (room temperature): < 10 cSt (CPS)

Stability and Reactivity

**Stability:** The product is stable.

Relative density

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: No specific data.

Materials to avoid: Strong oxidizers, strong acids.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition should not be produced.



# Safety Data Sheet fusion black

Date of Issue: 07/18/2019

Page: 3 of 3

11	Toxicological Information	Product /Ingredient Name Tributoxyethyl Phosphate Tripropylene Glycol Monomethyl Ether Diethylene Glycol Monoethyl Ether Dipropylene Glycol Monomethyl Ether	Result LD50 Oral LD50 Oral LD50 Oral LD50 Oral	Species Rat Rat Rat Rat	<b>Dose</b> 3000 mg/kg 3184 mg/kg 1920 mg/kg 5230 mg/kg	
12	Ecological Information	N/A				
13	Disposal Considerations	Waste Information Waste must be disposed of in accorda Consult your local or regional authorities			vironmental control regulations	3.
14	Transport Information	DOT Classification not req	gulated -	Shipping Na		el
		<b>Note:</b> DOT classification applies to most exceptions, refer to the bill of lading with <b>PG*:</b> Packing Group		ecific container	size classifications or size	
15	ubstance nce					
			oduct name listed substance	CAS numbe	<u>Concentration</u>	
16	Other Information	To the best of our knowledge, the info neither the above named supplier nor and er for the accuracy of completeness of the Final determination of suitability of any materials may present unknown hazards hazards are described herein, we cannot	y of its subsidiaries ass e information containe material is the sole re and should be used w	sumes any liabili ed herein. esponsibility of ith caution. Alth	the user. All ough certain  System (HDS):  Health Reactivity Flammability	1 0 0

\*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.