5	C.	Safety Data She				
santec		equal neutralizer Page: 1 of 3				
01	Chemical Product and Company Identification	Product Name Product Use Product Code For Medical Emergency Supplier's Information	Equal Neutralizer Laundry Antichlor/Sour 3888 Call 'Chemtrec' 1-800-424-9300 Santec Inc. 1420 East Linden Avenue, Linder	NJ 07036		
02	Hazards Identification	GHS Classification: 1. Skin - Category 2 2. Eyes - Category 2A Signal Word: Danger Hazard Statement: May cause skin and eye irritation. Precautionary Statements: Wear protective gloves, splash goggles, face shield and boots. Wash thoroughly after handling. Acute Effects Eyes: Eye irritant. May cause redness or swelling. Skin: Slight skin irritant. Inhalation: May be irritating to the nose, throat and respiratory tract. Ingestion: May be irritating to the mouth, throat and gastrointestinal system. Symptoms may include nausea, vomiting, diarrhea and cramps. Chronic Effects Carcinogenicity: No known critical effects or critical hazards. Product /Ingredient Name: Not available.				
03	Composition/ Information on Ingredients	Name of Hazardous Ingredier Sodium Metabisulfite	nts CAS No. 7681-57-4	WT.% 20-30		
04	First Aid Measures	 Eye Contact: Check for and remove any contact lenses. Flush with large quantities of water, holding eyelids open for 15 minutes. Seek medical attention if symptoms persist. Skin Contact: Wash skin with copious amounts of water. If symptoms persist seek medical attention. Inhalation: Remove to fresh air. Seek medical attention if irritation persists. Ingestion: Do not induce vomiting. Drink copious amounts of water. Seek medical attention immediately. 				
05	Fire Fighting Measures	 Suitable Fire Extinguishing Media: Use water spray, fog or foam Specific Hazards Arising from the Chemical: In a fire or if heated, a pressure increase will occur and the container may burst. Hazardous Thermal Decomposition Products: Heating causes thermal decomposition which liberates toxic fumes of SO2 Specific Fire-Fighting Methods: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Specific Protective Equipment for Fire-Fighters: Fire-Fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. 				
06	Accidental Release Measures	Move Containers from spill area. D		ee section 8). Stop leak if without risk. uble or absorb with an inert dry material ensed waste disposal contractor.		

<u> </u>	L, ec [°]	Safety Data Sheet equal neutralizer		Page: 2 of 3			
07	Handling and Storage	 Handling: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Wash thoroughly after handling. Storage: Store between the following temperatures: 4.44 to 48.9°C (40 to 120°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. 					
08	Exposure Controls/ Personal Protection		D osure Limits HA PEL 5mg/m³				
		Personal Protective Equipment (PP Eyes: Safety glasses. Body: For prolonged or repeated handlin Respiratory: Use with adequate ventilat product use.					
09	Physical and Chemical Properties	Physical State Color Odor pH Flash point Explosion limits Flammability (solid, gas) Melting point Boiling point Evaporation rate (butyl acetate = 1 Vapor pressure Vapor density Relative density Solubility Partition coefficient n-octano/wate Auto-ignition temperature Decomposition temperature Odor threshold Viscosity	Not available Not available 1.21 (Water = 1) Easily soluble in the following materials: cold				
10	Stability and Reactivity	occur. Conditions to avoid: No specific data Materials to avoid: Acids, alkalis, oxic Hazardous decomposition product					



Safety Data Sheet equal neutralizer

11	Toxicological Information	Product /Ingredient Name Sodium Metabisulfite	Result LD50 Oral	Species Rat	Dose 2000 mg/kg			
12	Ecological Information	N/A						
13	Disposal Considerations	Waste Information Waste must be disposed of in Consult your local or regional a				mental con	trol regu	lations.
14	Transport Information	Regulatory Information DOT Classification		Proper Ship Bisulfite aque	ping Name	Classes 8	PG *	Label
		Note: DOT classification applies exceptions, refer to the bill of lac PG*: Packing Group			container size cl	lassifications	s or size	
15	Regulatory Information	U.S. Federal Regulations TSCA 8(b) inventory: All com SARA 302/304/311/312 extr SARA 302/304 emergency p	emely hazardous su	ibstances: N		nce		
		SARA 313 Form R-Reporting requirements	Product name No listed substar		<u>number</u>	Con	<u>centrati</u>	<u>on</u>
16	Other Informa- tion	Manufacturer Disclaimer: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy of completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.			er, Sy ty He Pr. Fla n.	*Hazard Determination System (HDS): Health 1 Reactivity 0 Flammability 0		
		Date of Issue: 05/30/2018						

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.