5	L.	Safety Data resolve four				Davis 4 af 6
sante	ec.	resolve loui	-			Page: 1 of 3
01	Chemical Product and Company Identification	Product Name Product Use Product Code For Medical Emergency Supplier's Information	Santec	hemtrec' 1-800-424-930		
02	Hazards Identification	 GHS Classification: 1. Skin - Category 2 2. Eyes - Category 2B Signal Word: Warning Hazard Statement: May cause skin irritation. Precautionary Statements: Wear protective gloves, splash goggles and protective clothing. Do not breathe mist/ vapors/spray. Wash thoroughly after handling. Acute Effects Eyes: Eye irritant. May cause redness or swelling. Skin: Skin may become overly dry with repeated contact. Inhalation: Brief exposure (e.g. several minutes) unlikely to cause adverse effects. Ingestion: May be irritating to the mouth, throat and gastrointestinal system. Symptoms may include nausea, vomiting, diarrhea and cramps. Chronic Effects 				
03	Composition/	Carcinogenicity: No know Product /Ingredient Nan Name of Hazardous Ing	ne: Not available.	CAS No.	WT. %	
05	Information on Ingredients	Nonylphenol Ethoxylate Ethylene Glycol Monobutyl Sodium Xylene Sulfonate Sodium Hydroxide Silicic Acid, Sodium Salt Triethanolamine	l Ether	127087-87-0 111-76-2 1300-72-7 1310-73-2 1344-09-8 102-71-6	15-20 5-7 2-3 1-2 1-2 1-2	
04	First Aid Measures	 Eye Contact: Check for and remove any contact lenses. Flush with large quantities of water, holding eyelids open for 15 minutes. Seek medical attention if symptoms persist. Skin Contact: Wash skin with copious amounts of water. If symptoms persist seek medical attention. Inhalation: Remove to fresh air. Seek medical attention if irritation persists. Ingestion: Do not induce vomiting. Drink copious amounts of water. Seek medical attention immediately. 				
05	Fire Fighting Measures	 Suitable Fire Extinguishing Media: Use water spray, fog or foam Specific Hazards Arising from the Chemical: In a fire or if heated, a pressure increase will occur and the container may burst. Hazardous Thermal Decomposition Products: No Specific Data Specific Fire-Fighting Methods: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Specific Protective Equipment for Fire-Fighters: Fire-Fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. 				
06	Accidental Release Measures	Spill Clean Up: Put on a Move Containers from spill and place in an appropriate	area. Dilute with w	ater and mop up if water-s	oluble or absorb with a	n inert dry material

Safety Data She					
sante	9C°	resolve four	Page: 2 of		
07	Handling and Storage	clothing. Do not breathe vapor or mist. D	I protective equipment (see Section 8). Do not get in e Do not ingest. Keep in the original container or an appro ghtly closed when not in use. Do not reuse container. N	oved alternative	
		local regulations. Store in original contai away from incompatible materials (see s tightly closed and sealed until ready for	emperatures: 4.44 to 48.9°C (40 to 120°F). Store in a ner protected from direct sunlight in a dry, cool and we ection 10) and food and drink. Separate from acids. Ke use. Containers that have been opened must be carefu store in unlabeled containers. Use appropriate contain	ell-ventilated area, eep container ully resealed and	
80	Exposure Controls/ Personal Protection	Ethylene Glycol Monobutyl Ether OS	sure Limits A PEL 50 ppm A PEL 0.5 ppm		
	Totection	Personal Protective Equipment (PP			
	Discrimination	Body: For prolonged or repeated handlin	ve equipment as necessary to prevent skin contact. g, use gloves. Nitrile gloves. Rubber gloves. Neoprene ion. A respirator is not needed under normal and interv		
09	Physical and Chemical	Physical State	Clear liquid		
		Color	Brown		
	Properties	Odor	Organic Odor		
	Properties	Odor pH	Organic Odor 12.0-12.4		
	Properties	рН	Organic Odor 12.0-12.4 > 150°F		
	Properties		12.0-12.4		
	Properties	pH Flash point Explosion limits Flammability (solid, gas)	12.0-12.4 > 150°F		
	Properties	pH Flash point Explosion limits Flammability (solid, gas) Melting point	12.0-12.4 > 150°F Not available Not available Not available		
	Properties	pH Flash point Explosion limits Flammability (solid, gas) Melting point Boiling point	12.0-12.4 > 150°F Not available Not available Not available Not available		
	Properties	pH Flash point Explosion limits Flammability (solid, gas) Melting point Boiling point Evaporation rate (butyl acetate = 1)	12.0-12.4 > 150°F Not available Not available Not available Not available Not available		
	Properties	pH Flash point Explosion limits Flammability (solid, gas) Melting point Boiling point Evaporation rate (butyl acetate = 1) Vapor pressure	12.0-12.4 > 150°F Not available Not available Not available Not available Not available Not available Not available		
	Properties	pH Flash point Explosion limits Flammability (solid, gas) Melting point Boiling point Evaporation rate (butyl acetate = 1)	12.0-12.4 > 150°F Not available Not available Not available Not available Not available		
	Properties	pH Flash point Explosion limits Flammability (solid, gas) Melting point Boiling point Evaporation rate (butyl acetate = 1) Vapor pressure Vapor density	12.0-12.4 > 150°F Not available Not available Not available Not available Not available Not available Not available Not available	ter and hot water	
	Properties	pH Flash point Explosion limits Flammability (solid, gas) Melting point Boiling point Evaporation rate (butyl acetate = 1) Vapor pressure Vapor density Relative density Solubility Partition coefficient n-octano/wate	12.0-12.4 > 150°F Not available Not available Not available Not available Not available Not available Not available 1.03 (Water = 1) Easily soluble in the following materials: cold wa not available	ter and hot water	
	Properties	pH Flash point Explosion limits Flammability (solid, gas) Melting point Boiling point Evaporation rate (butyl acetate = 1) Vapor pressure Vapor density Relative density Solubility Partition coefficient n-octano/wate Auto-ignition temperature	12.0-12.4 > 150°F Not available Not available Not available Not available Not available Not available 1.03 (Water = 1) Easily soluble in the following materials: cold wa r Not available Not available Not available	ter and hot water	
	Properties	pH Flash point Explosion limits Flammability (solid, gas) Melting point Boiling point Evaporation rate (butyl acetate = 1) Vapor pressure Vapor density Relative density Solubility Partition coefficient n-octano/wate Auto-ignition temperature Decomposition temperature	12.0-12.4 > 150°F Not available Not available Not available Not available Not available Not available 1.03 (Water = 1) Easily soluble in the following materials: cold wa r Not available Not available Not available Not available Not available Not available	ter and hot water	
	Properties	pH Flash point Explosion limits Flammability (solid, gas) Melting point Boiling point Evaporation rate (butyl acetate = 1) Vapor pressure Vapor density Relative density Solubility Partition coefficient n-octano/wate Auto-ignition temperature	12.0-12.4 > 150°F Not available Not available Not available Not available Not available Not available 1.03 (Water = 1) Easily soluble in the following materials: cold wa r Not available Not available Not available	ter and hot water	
	Properties	pH Flash point Explosion limits Flammability (solid, gas) Melting point Boiling point Evaporation rate (butyl acetate = 1) Vapor pressure Vapor density Relative density Solubility Partition coefficient n-octano/wate Auto-ignition temperature Decomposition temperature Odor threshold Viscosity Stability: The product is stable.	12.0-12.4 > 150°F Not available Not available Not available Not available Not available Not available 1.03 (Water = 1) Easily soluble in the following materials: cold wa r Not available Not available		
10	Stability and	pH Flash point Explosion limits Flammability (solid, gas) Melting point Boiling point Evaporation rate (butyl acetate = 1) Vapor pressure Vapor density Relative density Solubility Partition coefficient n-octano/wate Auto-ignition temperature Decomposition temperature Odor threshold Viscosity Stability: The product is stable.	12.0-12.4 > 150°F Not available Not available Not available Not available Not available Not available 1.03 (Water = 1) Easily soluble in the following materials: cold wa r Not available Not available Not available Not available Not available Not available Not available Not available Not available		
10		pH Flash point Explosion limits Flammability (solid, gas) Melting point Boiling point Evaporation rate (butyl acetate = 1) Vapor pressure Vapor density Relative density Solubility Partition coefficient n-octano/wate Auto-ignition temperature Decomposition temperature Odor threshold Viscosity Stability: The product is stable. Possibility of hazardous reactions:	12.0-12.4 > 150°F Not available Not available Not available Not available Not available Not available 1.03 (Water = 1) Easily soluble in the following materials: cold wa r Not available Not available		

5 sante	C °	Safety Data Sh resolve four	neet			Pa	ge: 3 of 3
11	Toxicological Information	Product /Ingredient Name Nonylphenol Ethoxylate Ethylene Glycol Monobutyl Ether Sodium Xylene Sulfonate Sodium Hydroxide Silicic Acid, Sodium Salt Triethanolamine	Result LD50 Oral LD50 Oral LD50 Oral LD50 Oral LD50 Oral LD50 Oral	Species Rat Rat Rat Rat Rat Rat	Dose 2000 mg/kg 1746 mg/kg 2500 mg/kg 960 - 3980 r 1960 mg/kg 6400 mg/kg	ng/kg	
12	Ecological Information	N/A					
13	Disposal Considerations	Waste Information Waste must be disposed of in Consult your local or regional at			ocal environment	al control regu	ations.
14	Transport Information	Regulatory Information	UN Number not regulated	Proper Shippir	ng Name Cla -	sses PG*	Label
		Note: DOT classification applies exceptions, refer to the bill of lad PG*: Packing Group			tainer size classific	cations or size	
15	Regulatory Information	U.S. Federal Regulations TSCA 8(b) inventory: All components are listed or exempted. SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance					
		SARA 313 Form R-Reporting requirements	Product nar No listed subs		umber	<u>Concentration</u>	<u>on</u>
16	Other Informa- tion	Manufacturer Disclaimer: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy of completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.					rmination): 2 0 y 1
		Date of Issue: 05/30/2018					

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.