

# Safety Data Sheet

## fusion graphite

Chemical Product and Company Identification **Product Name** Graphite

**Product Use** Toilet Ring Remover

**Product Code** 3925

For Medical Emergency Call 'Chemtrec' 1-800-424-9300

**Supplier's Information** Santec Inc.

1420 East Linden Avenue, Linden NJ 07036

Hazards Identification **GHS Classification:** 

1. Skin - Category 1

2. Eyes - Category 1 Signal Word: Danger

Hazard Statement: Causes severe skin burns and

eye damage, toxic if swallowed. May be corrosive to metals. **Precautionary Statements:** Wear protective gloves,

protective clothing, eye protection and face protection.

Do not breathe mist/vapors/spray. Wash face, hands and exposed skin

thoroughly after handling.

**Acute Effects** 

**Eyes:** Corrosive to eyes. Skin: Corrosive to skin..

Inhalation: Irritating to respiratory tract, symptoms include coughing.

**Ingestion:** Causes burns to mouth, throat and stomach. May be fatal if swallowed.

**Chronic Effects** 

Ammonium Biflouride

Carcinogenicity: No known critical effects or critical hazards.

Product /Ingredient Name: Not available.

Information on Ingredients

Name of Hazardous Ingredients

CAS No. 1341-49-7 WT.% 15-20

First Aid Measures Eye Contact: Check for and remove any contact lenses. Flush with large quantities of water, holding eyelids open for 15 minutes. Seek medical attention immediately.

**Skin Contact:** Wash skin with copious amounts of water. Seek medical attention immediately.

Inhalation: Remove to fresh air. Seek medical attention immediately.

Ingestion: Do not induce vomiting. Drink copious amounts of water. Seek medical attention immediately.

Fire Fighting Measures

Suitable Fire Extinguishing Media: Use water spray, fog or foam, carbon dioxide (CO<sub>2</sub>)

Specific Hazards Arising from the Chemical: Nitrogen Oxides (NOX), Hydrogen Fluoride.

Hazardous Thermal Decomposition Products: May emit toxic fumes under fire conditions - hydrogen fluoride (HF), nitric oxides, ammonia, and hydrogen gas.

Specific Fire-Fighting Methods: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Specific Protective Equipment for Fire-Fighters: Fire-Fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

()6

Accidental Release Measures

Spill Clean Up: Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Move Containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Page: 1 of 3





# Safety Data Sheet

### fusion graphite

07

Handling and Storage

**Handling:** Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Wash thoroughly after handling.

Page: 2 of 3

**Storage:** Store between the following temperatures: 4.44 to 48.9°C (40 to 120°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

80

Exposure Controls/ Personal Protection Ingredient Name Exposure Limits

Ammonium Biflouride OSHA PEL TWA 2-5 mg/m<sup>3</sup>

#### Personal Protective Equipment (PPE)

Eyes: Splash goggles or safety glasses.

**Skin & Body:** Use rubber, nitrile, PVC or other chemically resistant skin protection to prevent contact. **Respiratory:** Ensure adequate ventilation, especially in confined areas. Exposure to large volume and surface

area may create high vapor concentrations require a NIOSH approved respirator.

09

Physical and Chemical Properties

Physical State Clear liquid
Color Water White
Odor Pungent, offensive
pH 5-5.5

Flash point None Not available **Explosion limits** Not available Flammability (solid, gas) Not available **Melting point** >100°C (212F) **Boiling point** Evaporation rate (butyl acetate = 1) Not available Vapor pressure Not available Vapor density Not available Relative density 1.05 (Water = 1)

**Solubility** Easily soluble in the following materials: cold water and hot water

Partition coefficient n-octano/water
Auto-ignition temperature
Decomposition temperature
Odor threshold
Not available
Not available
Not available

Viscosity Kinematic (room temperature): ≤ 10 cSt (CPS)

10

Stability and Reactivity

**Stability:** The product is stable.

**Possibility of hazardous reactions:** Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: Avoid moisture.

Materials to avoid: Glass, strong oxidizing agents, metals, alkali, strong acid.

**Hazardous decomposition products:** May emit toxic fumes under fire condition - Hydrogen Fluoride (HF), nitric oxide and ammonia.



# Safety Data Sheet fusion graphite

Date of Issue: 08/09/2019

Page: 3 of 3

11	Toxicological Information	Product /Ingredient Name Ammonium Biflouride	<b>Result</b> LD50 Oral	<b>Species</b> Rat	<b>Dose</b> 60 - 130 mg/	/kg		
12	Ecological Information	N/A						
13	Disposal Considerations	Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.						
14	Transport Information	Regulatory Information	UN Number	Proper Shippin	g Name	Classes	PG*	Label
17		DOT Classification	UN3264	Corrosive liquid, inorganic, n.o.s. (phosphoric acid	8 oifluoride)	III	8	
		If product sold only in quarts - not regulated.						
		<b>Note:</b> DOT classification applies to most package sizes. For specific container size classifications or size exceptions, refer to the bill of lading with your shipment. <b>PG*:</b> Packing Group						
15	Regulatory Information	TSCA 9(h) invantary: All components are listed or exempted						
		SARA 313 Form R-Reporting requirements	Product name  No listed substance  CAS number  Concentration					<u>on</u>
16	Other Information	To the best of our knowledge, th above named supplier nor any of of completeness of the informati Final determination of suitability may present unknown hazards described herein, we cannot gua	fits subsidiaries as ion contained here of any material is and should be us	sumes any liability v ein. the sole responsibil ed with caution. Alt	whatsoever for lity of the user though certain	the accuracy . All materials	System Heal	ard Determination (HDS):  th 3 ctivity 0 mability 0

\*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.