

## Safety Data Sheet

#### rustex sour

Page: 1 of 3

01

Chemical Product and Company Identification Product Name Rustex Sour
Product Use Laundry Sour
Product Code 3009

For Medical Emergency Call 'Chemtrec' 1-800-424-9300

**Supplier's Information** Santec Inc.

1420 East Linden Avenue, Linden NJ 07036

02

Hazards Identification GHS Classification: 1. Skin - Category 1

Skin - Category 1
 Eyes - Category 1

Signal Word: Danger

Hazard Statement: Causes severe skin burns and eye damage, toxic if

swallowed

**Precautionary Statements:** Wear protective gloves, splash goggles, face shield, full suit, vapor respirator and boots. Do not breathe mist/vapors

/spray. Wash thoroughly after handling.

**Acute Effects** 

**Eyes:** Corrosive to eyes. **Skin:** Corrosive to skin..

**Inhalation:** Irritating to respiratory tract, symptoms include coughing.

Ingestion: Causes burns to mouth, throat and stomach. May be fatal if swallowed.

**Chronic Effects** 

Carcinogenicity: No known critical effects or critical hazards.

Product /Ingredient Name: Not available.

03

Composition/ Information on Ingredients Name of Hazardous Ingredients

Phosphoric Acid
Ammonium Biflouride

**CAS No.** 7664-38-2 1341-49-7

**WT.**% 10-15 5-10

**GHS Label Element:** 

04

First Aid Measures **Eye Contact:** Check for and remove any contact lenses. Flush with large quantities of water, holding eyelids open for 15 minutes. Seek medical attention immediately.

Skin Contact: Wash skin with copious amounts of water. Seek medical attention immediately.

**Inhalation:** Remove to fresh air. Seek medical attention immediately.

Ingestion: Do not induce vomiting. Drink copious amounts of water. Seek medical attention immediately.

()5

Fire Fighting Measures Suitable Fire Extinguishing Media: Use water spray, fog or foam

Specific Hazards Arising from the Chemical: Nitrogen Oxides (NOX), Hydrogen Fluoride.

**Hazardous Thermal Decomposition Products:** May emit toxic fumes under fire conditions - hydrogen fluoride (HF), nitric oxides, ammonia, and hydrogen gas.

**Specific Fire-Fighting Methods:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. **Specific Protective Equipment for Fire-Fighters:** Fire-Fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

06

Accidental Release Measures **Spill Clean Up:** Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Move Containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

santec, inc. 1420 East Linden Ave, Linden NJ 07036 T 908-912-2500 F 908-374-7149 info@cleanneeds.com



### Safety Data Sheet

#### rustex sour

Page: 2 of 3

07

Handling and Storage

**Handling:** Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Wash thoroughly after handling.

**Storage:** Store between the following temperatures: 4.44 to 48.9°C (40 to 120°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

80

Exposure Controls/ Personal Protection 
 Ingredient Name
 Exposure Limits

 Phosphoric Acid
 OSHA PEL 3 mg/m³

Ammonium Biflouride OSHA PEL TWA 2-5 mg/m<sup>3</sup>

#### **Personal Protective Equipment (PPE)**

Eyes: Splash goggles. Face shield.

Skin: Use synthetic apron, other protective equipment as necessary to prevent skin contact.

**Body:** Face shield, full suit, vapor respirator, boots and gloves.

Respiratory: A self contained breathing apparatus should be used to avoid inhalation of product. Be sure to use

an approved /certified respirator or equivalent.

09

Physical and Chemical Properties

**Physical State** Clear liquid Color Water White Odor Slight Acrid рΗ 1-2 Flash point None **Explosion limits** Not available Flammability (solid, gas) Not available Not available **Melting point** >100°C (212F)

Boiling point >100°C (212F)
Evaporation rate (butyl acetate = 1) Not available
Vapor pressure Not available
Vapor density Not available
Relative density 1.10 (Water = 1)

**Solubility** Easily soluble in the following materials: cold water and hot water

Partition coefficient n-octano/waterNot availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableOdor thresholdNot available

Viscosity Kinematic (room temperature): ≤ 10 cSt (CPS)

10

Stability and Reactivity

**Stability:** The product is stable.

**Possibility of hazardous reactions:** Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: Avoid moisture.

Materials to avoid: Glass, strong oxidizing agents, metals, alkali, strong acid.

**Hazardous decomposition products:** May emit toxic fumes under fire condition - Hydrogen Fluoride (HF), nitric oxide and ammonia.



# Safety Data Sheet rustex sour

Date of Issue: 08/09/2019

Page: 3 of 3

11	Toxicological Information	Product /Ingredient Name Phosphoric Acid Ammonium Biflouride	<b>Result</b> LD50 Oral LD50 Oral	Species Rat Rat	<b>Dose</b> 1530 mg/kg 60 - 130 mg			
12	Ecological Information	N/A						
13	Disposal Considerations	Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.						
14	Transport Information	Regulatory Information	UN Number	Proper Shippi	ng Name	Classes	PG*	Label
		DOT Classification	UN3264	Corrosive liquid, acidic, 8 inorganic, n.o.s. (phosphoric acid, ammonium bifluoride)			Ш	8
		<b>Note:</b> DOT classification applies to most package sizes. For specific container size classifications or size exceptions, refer to the bill of lading with your shipment. <b>PG*:</b> Packing Group						
15	Regulatory Information  U.S. Federal Regulations TSCA 8(b) inventory: All components are listed or exempted. SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance							
		SARA 313 Form R-Reporting requirements	Product na No listed sul		<u>S number</u>	Cond	<u>centration</u>	
16	Other Information	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy of completeness of the information contained herein.  Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.						

\*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.