

Safety Data Sheet

Sixty Page: 1 of 3

01

Chemical Product and Company Identification Product Name Sixty

Product Use Low Foam Alkali Cleaner

Product Code 3036

For Medical Emergency Call 'Chemtrec' 1-800-424-9300

Supplier's Information Santec Inc.

1420 East Linden Avenue, Linden NJ 07036

02

Hazards Identification GHS Classification:

Skin - Category 1
 Eyes - Category 1

GHS Label Element:

Signal Word: Warning

Hazarad Statement: Causes eye and skin irritation.

Precautionary Statements: Wear protective gloves and eyewear protection. Do not breathe dust /mist. Wash thoroughly after handling.



Acute Effects

Eyes: Causes serious eye irritation.

Skin: Causes skin irritation.

Inhalation: Inhalation of dust will produce irritation to gastro-intestinal or respiratory tract, characterized by

burning, sneezing and coughing.

Ingestion: Harmful if swallowed. May cause burns to mouth, throat and stomach.

Chronic Effects

Carcinogenicity: No known critical effets or citical hazards.

Product /Ingredient Name: Not available.

03

Composition/ Information on Ingredients

Name of Hazardous Ingredients	CAS No.	WT.%		
Caustic Soda	1310-73-2	40-60		
Sodium Chloride	7647-14-5	10-20		
Sodium Carbonate	497-19-8	10-20		
Tall Oil Fatty Acid Soap	65997-01-5	5-10		

04

First Aid Measures **Eye Contact:** Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the uppper and lower eyelids. Get medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation persists. **Inhalation:** Move exposed person to fresh air. Flush mouth and nasal passages with water repeatedly. Get medical attention immediately.

Ingestion: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention immediately.

05

Fire Fighting Measures

Suitable Fire Extinguishing Media: Use water spray, fog or foam

Specific Hazards Arising from the Chemical: None

Hazardous Thermal Decomposition Products: Carbon oxides (CO, CO₂), phosphorus oxides. Specific Fire-Fighting Methods: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Specific Protective Equipment for Fire-Fighters: Fire-Fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

06

Accidental Release Measures **Spill Clean Up:** Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

santec, inc. 1420 East Linden Ave, Linden NJ 07036 T 908-912-2500 F 908-374-7149 info@cleanneeds.com



Safety Data Sheet

Sixty Page: 2 of 3

07

Handling and Storage

Handling: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Avoid breathing dust. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Wash thoroughly after handling.

Storage: Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Contains moisture-sensitive material. Store in a dry place. Do not store in unlabeled containers. Keep out of the reach of children.

80

Exposure Controls/ Personal Protection

 Ingredient Name
 Exposure Limits

 Caustic Soda
 OSHA Ceiling 2 mg/m³

Sodium Carbonate

Sodium Carbonate

OSHA Ceiling 2 mg/m³

OSHA PEL TWA 5 mg/m³

OSHA PEL TWA 5 mg/m³

Personal Protective Equipment (PPE)

Eyes: Safety glasses, splash goggles.

Skin: Wear appropriate protective clothing to prevent skin contact. Wear apron or overall if there is a risk of

exposure to spills.

Body: For prolonged or repeated handling, use gloves. Nitrile gloves. Rubber gloves. Neoprene gloves.

Respiratory: If dust is generated and ventilation is inadequate, use respirator that will protect against dust/mist.

09

Physical and Chemical Properties

Physical StateGranular powderColorLight BrownOdorPine Oil

pH 12-12.5 (1% solution)

Flash point None **Explosion limits** Not available Flammability (solid, gas) Not available **Melting point** Not available **Boiling point** Not available Evaporation rate (butyl acetate = 1) Not available Vapor pressure Not available Vapor density Not available Relative density 60 lb./ ft3

Solubility Easily soluble in the following materials: cold water and hot water

Partition coefficient n-octano/waterNot availableAuto-ignition temperatureNot availableDecompostion temperatureNot availableOdor thresholdNot available

10

Stability and Reactivity

Stability: The product is stable.

Possibilty of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: No specific data. Materials to avoid: Strong acids.

Hazardous decomposition products: Carbon oxides (CO, CO_a), phosphorous oxides.



Safety Data Sheet sixty

Page: 3 of 3

11	Toxicological Information	Product /Ingredient Name Caustic Soda Sodium Chloride Sodium Carbonate	Result LD50 Oral LD50 Oral LD50 Oral	Species Rabbit Rat Rat	Dose 500 mg/kg 3000 mg/kg 4090 mg/kg			
		Tall Oil Fatty Acid Soap	LD50 Oral	Rat	>2000 mg/k	kg		
12	Ecological Information	N/A						
13	Disposal Considerations	Waste Information Waste must be disposed of in Consult your local or regional a				nmental cont	rol regul	lations.
14	Transport Information	Regulatory Information	UN Number	Proper Ship	pping Name	Classes	PG*	Label
	mormation	DOT Classification	3262	Corrosive So inorganic, n.c	olids, o.s. (sodium hy	8 droxide)	III	
		Note: DOT classification applie exceptions, refer to the bill of lac PG*: Packing Group			container size c	lassifications	or size	
15	Regulatory Information U.S. Federal Regulations TSCA 8(b) inventory: All components are listed or exempted. SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance							
	SARA 313 Form R-Reporting requirements			Product name No listed substance		number Concentration		<u>on</u>
16	Other Information	To the best of our knowledge, the above named supplier nor a accuracy of completeness of the Final determination of suitability als may present unknown hazar are described berein, we cannot are described berein.	any of its subsidiarie information contair of any material is tl ds and should be u	es assumes any l ned herein. ne sole responsib sed with caution	iability whatso bility of the user . Although cert	ever for the c. All materi- cain hazards	System Health Reacti	

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.

are described herein, we cannot guarantee that these are the only hazards that exist.

Date of Issue: 12/05/2019