

twenty two non-foaming alkaline cleaner

for soft metals

limpiador alcalino no espumante

resolve series | high-performance food service solutions

twenty two is a heavy-duty, non- chlorinated, non-foaming, alkaline detergent recommended for pan and tray washing, CIP cleaning, pressure and foam cleaning, and floor cleaning. Formulated especially for use on aluminum, zinc and galvanized metals.

directions for use

DIRECTIONS: FOR PAN AND TRAY WASH: Add at a rate of 1/4 to 2 ounces per gallon of water, by either injecting automatically in to dishwashing machines or add manually to wash water. FOR CIP CLEANING: Dilute 1 to 2 ounces per gallon of water, depending on degree of soil. Circulate through system. Rinse with potable water. FOR PRESSURE AND FOAM **CLEANING:** Dilute 1 to 3 ounces per gallon of water, depending on degree of soil. Apply solution to soiled surfaces; scrub, if necessary, and rinse with potable water. FOR FLOORS: Dilute 1 to 3 ounces per gallon and scrub floor with an automatic floor scrubber or manually with a broom. Rinse floor thoroughly.

WARNING

HAZARD STATEMENTS May cause skin and eye irritation. PRECAUTIONARY STATEMENTS Wear protective gloves, splash goggles and protective clothing. Do not breathe mist /vapors /spray. Wash thoroughly after handling. FIRST AID

Eye Contact: Check for and remove any contact lenses. Flush with large quantities of water, holding evelids open for 15 minutes. Seek medical attention if symptoms persist. Skin Contact: Wash skin with copious amount of water. Seek medical attention if symptoms persist. Inhalation: Remove to fresh air. Seek medical attention if symptoms persist. Ingestion: Do not induce vomiting, Drink copious amounts of water. Seek medical attention immediately.

santec clean needs, met.

Toll-Free 888-726-8323 Offices 908-912-2500 Emergency 800-424-9300 www.cleanneeds.com



STORAGE

Store in original container protected from sunlight in a well ventilated area, away from incompatible materials, food and drink. Avoid heat, spark, open flame and other ignition sources. Keep out of reach of children.

SPILL /LEAK

Put on appropriate personal protective equipment. Move container from spill area. Dilute with water and mop up if water soluble or absorb with an inert dry material and place in an appropriate waste disposal container. DISPOSAL

Dispose of material in accordance with local, state and federal regulations. HAZARDOUS INGREDIENTS Sodium Metasilicate (6834-92-0)

R6029

K