

Safety Data Sheet

vanish reclaim

Page: 1 of 3

01

Chemical Product and Company Identification Product NameVanish ReclaimProduct UseLaundry Rust Remover

Product Code 5014

For Medical Emergency Call 'Chemtrec' 1-800-424-9300

Supplier's Information Santec Inc.

1420 East Linden Avenue, Linden NJ 07036

02

Hazards Identification

GHS Classification: 1. Aspiration Hazard - Category 2

2. Skin Corrosion - Category 1

3. Eyes - Category 1

Signal Word: Danger

Hazard Statement: Causes severe skin burns and eye damage, harmful if swallowed. **Precautionary Statements:** Wear protective gloves, splash goggles, face shield, full suit, respirator and boots. Do not breathe dust /mist. Wash thoroughly after handling.

Acute Effects

Eyes: Causes serious eye damage. **Skin:** Skin contact may produce burns.

Inhalation: Irritating to respiratory tract, symptoms include coughing, choking or shortness of breath.

Ingestion: Harmful is swallowed. May cause burns to mouth, throat and stomach.

Chronic Effects

Oxalic Acid, Dihydrate

Carcinogenicity: No known critical effects or critical hazards.

Product /Ingredient Name: Not available.

03

Composition/ Information on Ingredients Name of Hazardous Ingredients

CAS No. 6153-56-6

WT.%

GHS Label Elements:

6

90-100

04

First Aid Measures **Eye Contact:** Check for and remove any contact lenses. Flush with large quantities of water, holding eyelids open for 15 minutes. Seek medical attention immediately.

Clair Contacts Week alia with a minus an amount of water

Skin Contact: Wash skin with copious amounts of water. Seek medical attention immediately.

Inhalation: Remove to fresh air. Seek medical attention immediately.

Ingestion: Do not induce vomiting. Drink copious amounts of water. Seek medical attention immediately.

05

Fire Fighting Measures

Suitable Fire Extinguishing Media: Use water spray, fog or foam

Specific Hazards Arising from the Chemical: None.

Hazardous Thermal Decomposition Products: Carbon oxides (CO, CO,).

Specific Fire-Fighting Methods: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. **Specific Protective Equipment for Fire-Fighters:** Fire-Fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

იგ

Accidental Release Measures **Spill Clean Up:** Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Move Containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

santec, inc. 1420 East Linden Ave, Linden NJ 07036 T 908-912-2500 F 908-374-7149 info@cleanneeds.com



Safety Data Sheet

vanish reclaim

Page: 2 of 3

07

Handling and Storage

Handling: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Wash thoroughly after handling.

Storage: Store between the following temperatures: 4.44 to 48.9°C (40 to 120°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

80

Exposure Controls/ Personal Protection Ingredient Name Exposure Limits

Oxalic Acid OSHA PEL TWA 1 mg/m³

Personal Protective Equipment (PPE)

Eyes: Splash goggles. Face shield.

Skin: Use synthetic apron, other protective equipment as necessary to prevent skin contact.

Body: Face shield, full suit, vapor respirator, boots and gloves.

Respiratory: A self contained breathing apparatus should be used to avoid inhalation of product. Be sure to use

an approved /certified respirator or equivalent.

09

Physical and Chemical Properties

Physical State Granular Crystals

ColorWhiteOdorOdorlesspH (1%)1.9Flash pointNoneExplosion limitsNot availableFlammability (solid, gas)Not availableMelting point101.5°C (216F)

Boiling point 149°C -160°C (300F-320F)

Evaporation rate (butyl acetate = 1)Not availableVapor pressureNot availableVapor densityNot availableSpecific Gravity1.65 (Water = 1)

Solubility Easily soluble in the following materials: cold water and hot water

Partition coefficient n-octano/waterNot availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableOdor thresholdNot available

Viscosity N/A

10

Stability and Reactivity

Stability: The product is stable.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: Avoid moisture. **Materials to avoid:** Oxidizing agents, alkalis.

Hazardous decomposition products: Carbon oxides (CO, CO₂).



Safety Data Sheet vanish reclaim

Page: 3 of 3

11	Toxicological Information	Product /Ingredient Name Oxalic Acid	Result LD50 Oral	Species Rat	Dose 1080 mg/kg				
	Ecological	N/A							
12	Information	10/4							
13	Disposal Considerations	Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.							
14	Transport	Regulatory Information	UN Number	Proper Shippi	ng Name	Classes	PG*	Label	
	Information	DOT Classification	UN3261	Corrosive solid, organic, n.o.s (c Dihydrate	,	8	II	8 (6.1)	
		If product sold only in quarts	not regulated	-		-	-	-	
		Note: DOT classification applie refer to the bill of lading with yo PG*: Packing Group		sizes. For specific c	ontainer size c	lassifications	or size e	xceptions,	
15	Regulatory Information U.S. Federal Regulations TSCA 8(b) inventory: All components are listed or exempted. SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance								
		SARA 313 Form R-Reporting requirements	Product na No listed sul		number	Con	centrati	<u>on</u>	
16	Other Information	Manufacturer Disclaimer: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy of completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.					*Hazard Determination System (HDS): Health Reactivity Flammability		
		Date of Issue: 05/31/2018							

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.